

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2966	(host server) and ((slim thin) near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:12
L2	835	(host server) and (((slim thin) near2 client) same (storage memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 06:51
L3	25	(host server) and (((slim thin) near2 client) same (((disk storage) near2 array) SAN RAID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 08:37
L4	810	(host server) and (((slim thin) near2 client) and (((disk storage) near2 array) SAN RAID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 08:39
L5	359	I4 and (application near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 08:38
L6	471	I4 and (application near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 08:38
L7	24	(host server) and (((slim thin) near2 client) and (((disk storage) near2 array) SAN RAID) near3 (manag\$3 control\$4 administrat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:16
L8	662	(manag\$5 monitor\$5 name) near10 (SAN (storage adj Area adj network) RAID) and (assign\$5 designate\$5 name map\$5) near5 (volume link port chapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:41
L9	11	I8 and ((slim thin) near4 (client device user apparatus computer PDA cell laptop terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:45
L10	39	I8 and (discover\$5 acquir\$5 receiv\$5 obtain\$5) near10 (SAN (storage adj area adj1 network) array RAID) near10 topolog\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:43

L11	872	(manag\$5 monitor\$5 name) near10 (SAN (storage adj Area adj network) RAID ((disk storage) near3 array)) and (assign\$5 designate\$5 name map\$5) near5 (volume link port chapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 15:58
L12	16	I11 and ((slim thin) near4 (client device user apparatus computer PDA cell laptop terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:46
L13	39	I11 and (discover\$5 acquir\$5 receiv\$5 obtain\$5) near10 (SAN (storage adj area adj1 network) array RAID) near10 topolog\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:43
L14	94	I11 and (((slim thin dumb) near4 (client device user apparatus computer PDA cell laptop terminal)) PDA laptop notebook)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:47
L22	1	("6754718").URPN.	USPAT	OR	ON	2005/02/01 10:10
L23	11	("20030005119" "20030212711" "20030229689" "20040010600" "20040039756" "20040049564" "20040078599" "5790775" "6598174" "6754718" "6792557").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:10
L24	4064	(host server) near4 ((storage adj1 area adj1 network) SAN RAID ((storage disk) near2 array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:36
L25	66	I24 and ((thin slim dumb) near3 (client computer terminal user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:15
L26	10455	(manag\$3 administ\$8 control\$5) near10 ((storage adj1 area adj1 network) SAN RAID ((storage disk) near2 array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:29
L27	34	I26 and ((thin) near3 (client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:30

L28	91	l26 and ((thin slim dumb) near3 (client terminal computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:41
L29	1827	(storage same (map\$5 assign\$5 link\$5)) and ((thin slim dumb) near3 (client terminal computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:42
L30	123	(storage same (map\$5 assign\$5 link\$5)) same ((thin slim dumb) near3 (client terminal computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:43
L31	188	((diverse different various variety) near4 (host server)) near10 ((storage adj1 area adj1 network) SAN RAID ((storage disk) near2 array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:38
L32	258	((diverse different various variety) near4 (host server manag\$5)) near10 ((storage adj1 area adj1 network) SAN RAID ((storage disk) near2 array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 11:38
L33	207	((diverse different various variety heterogeneous) near4 (host server)) near10 ((storage adj1 area adj1 network) SAN RAID ((storage disk) near2 array))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:05
L36	21	l31 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:38
L37	161	l11 and (services near3 (start\$5 stop\$5 manag\$5 control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 15:59
S1	90	host adj1 context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 17:49
S2	1401	(thin near2 client) and (SAN array (fibre near1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 17:50

S3	63	(thin near2 client) same (SAN array (fibre near1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 17:52
S4	796	(thin near2 client) and (SAN (disk near2 array) (fibre near1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/28 17:53
S5	841	(thin near2 client) and (SAN RAID ((storage disk) near2 array) (fibre near1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S6	3384	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:56
S7	1350	(709/245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:57
S8	1556	(709/220).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:57
S9	33905	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:57
S10	24	(thin near2 client) and ((SAN RAID ((storage disk) near2 array) (fibre near1 channel)) near5 (map mapp\$3 associat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:52
S11	3300	((SAN RAID ((storage disk) near2 array) (fibre near1 channel)) near5 (map mapp\$3 associat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:15
S12	2921	((SAN RAID ((storage disk) near2 array)) near5 (map mapp\$3 associat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 09:14

S13	651	VERITAS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:19
S14	3384	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:21
S15	1350	(709/245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 07:19
S16	1556	(709/220).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 07:19
S17	59	(S14 S15 S16) and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:19
S18	11	("20030005119" "20030212711" "20030229689" "20040010600" "20040039756" "20040049564" "20040078599" "5790775" "6598174" "6754718" "6792557").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 07:46

S19	77	("4167041" "4872167" "5005119" "5005122" "5021948" "5123017" "5237689" "5369778" "5392244" "5394522" "5446888" "5473772" "5491796" "5499357" "5504921" "5522042" "5546558" "5548722" "5561769" "5568471" "5581724" "5603027" "5606669" "5613060" "5621892" "5625818" "5630081" "5632027" "5634009" "5634010" "5634011" "5654901" "5655081" "5666293" "5666534" "5668944" "5678006" "5682328" "5684967" "5684984" "5687313" "5694581" "5699518" "5706455" "5706508" "5724506" "5724509" "5727181" "5732275" "5742762" "5748881" "5796952" "5815652" "5862333" "5872931" "5956487" "6026500" "6044476" "6049827" "6067527" "6098098" "6098128" "6101508" "6101540" "6112237" "6182134" "6195694" "6212581" "6219700" "6219708" "6272537" "6289379" "6301557" "6308207" "6347398" "6363421" "6480901").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 08:15
S20	7570	((SAN RAID ((storage disk) near2 array)) near5 (manag\$3 control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 09:57
S21	131	(S14 S15 S16) and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 09:18

S22	64	("4167041" "4872167" "5005119" "5005122" "5021948" "5109486" "5123017" "5237689" "5369778" "5392244" "5394522" "5446888" "5471675" "5473772" "5491796" "5499357" "5504921" "5522042" "5546558" "5548722" "5561769" "5568471" "5581724" "5603027" "5606669" "5613060" "5625818" "5630081" "5632027" "5634009" "5634010" "5634011" "5654901" "5655081" "5666293" "5666534" "5668944" "5678006" "5682328" "5684967" "5684984" "5694581" "5699518" "5706455" "5706508" "5724506" "5724509" "5727181" "5732275" "5742762" "5748881" "5784702" "5862333" "5892916" "6098128" "6101508" "6105147" "6112237" "6192402" "6195694" "6272537" "6282175" "6282646" "6347398").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 09:51
S23	26	((SAN RAID ((storage disk) near2 array)) near5 (manag\$3 control\$4) and (thin-near2-client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 10:31
S24	233	((SAN RAID ((storage disk) near2 array)) near5 (manag\$5 control\$4) and ((thin near2 client) pda (personal adj1 display adj1 assistant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 10:59
S25	264	((SAN RAID ((storage disk) near2 array)) near5 (manag\$5 control\$4) and ((slim near2 (client terminal)) (thin near2 (client terminal)) pda (personal adj1 display adj1 assistant) (dumb near2 (terminal client)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 11:46
S26	14	(S14 S15 S16) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 11:09
S27	114	((SAN RAID ((storage disk) near2 array)) near5 (manag\$5 control\$4) and (RPC (remote adj1 procedure adj1 call))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 12:04

S28	346	((SAN RAID ((storage disk) near2 array)) near5 (manag\$5 control\$4)) and ((plug?in\$2) DLL (plug adj1 in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 12:05
S29	202	(710/64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:21
S30	1	S29 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 13:21
S31	910	(thin near2 client) same (storage memory disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10
S32	1	(thin near2 client) same ((storage disk array RAID) near4 topolog\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:11
S33	14	(thin near2 client) and ((storage disk array RAID)-near4 topolog\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:24
S34	16	((thin slim dumb) near2 (client terminal)) and ((storage disk array RAID) near4 topolog\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S35	183	(S14 S15 S16) and ((thin slim dumb) near2 (client terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:30
S36	1292	((slim thin dumb) near2 (terminal client)) and ((SAN RAID ((storage disk) near2 array) (fibre near1 channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:05
S37	100	S36 and ((server host) same topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:46

S38	108	((slim thin dumb) near2 (terminal client)) and (topolog\$5 near3 (host server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:20
S39	7858	((slim thin dumb) near2 (terminal client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:21
S40	40944	(server host) near4 (dependent independent specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:22
S41	73	S39 same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:22
S42	841	(thin near2 client) and ((SAN RAID ((storage disk) near2 array) (fibre near1 channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:53
S43	27	(thin near2 client) same ((SAN RAID ((storage disk) near2 array) (fibre near1 channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 17:53